
GALLERY® collection

1 & 2-LAYER CONSTRUCTION



America's Favorite Garage Doors®



GALLERY collection

Clopay's one and two-layer Gallery® collection combines stylish carriage house designs at more affordable prices. Create a look that complements the overall look of your home by selecting the panel size, window or solid top section design and decorative hardware to give it that one-of-a-kind look. Available with or without insulation, it is virtually maintenance-free, so the first fabulous impression becomes a lasting impression.

STYLE AND CONSTRUCTION

- 24 gauge or 25 gauge 2" steel frame construction for long-lasting performance.
- Hot-dipped galvanized steel interior and exterior skins with a baked-on primer and top coat help ensure a virtually maintenance-free door with long-lasting beauty.
- Optional 1-5/16" polystyrene insulation improves energy efficiency. 6.3 R-value (Models GD5SV, GD4SV and GD4LV).
- Long-life nylon rollers are quiet and durable.
- Replaceable vinyl bottom weatherseal in a rust-resistant aluminum retainer helps seal out the elements.
- See your Clopay Dealer for WINDCODE® door availability.

Calculated door section R-value is in accordance with DASMA TDS-163.





Model	Description
GD5S	25 Gauge, Short Panel, Non-Insulated
GD4S	24 Gauge, Short Panel, Non-Insulated
GD4L	24 Gauge, Long Panel, Non-Insulated





Model	Description
GD5SV	25 Gauge, Short Panel, Insulated
GD4SV	24 Gauge, Short Panel, Insulated
GD4LV	24 Gauge, Long Panel, Insulated



DOOR DESIGNS



Long (GD4L and GD4LV)

GD5S/GD5SV available 5'0"-18'0" wide in 2" increments (excludes 10'2"-11'4" and 14'8"). GD4S/GD4SV available 5'0"-20'0" wide in 2" increments (excludes 10'2"-11'4" and 14'8"). GD4L/GD4LV available 7'8"-20'0" wide in 2" increments (excludes 10'2"-11'4" and 14'8"). All doors available 6'0"-16'0" high in 3" increments.

Standard hardware shown above.

COLORS









Standard White

Almond

Desert Tan

Sandtone

Chocolate

- Exterior steel on standard color doors has a natural woodgrain texture.
- Doors can be painted to match the home's exterior using a high-quality latex exterior paint.
 Do not use oil-based paint.

CUSTOM PAINT OPTION



Color Blast® offers more than 1,500 Sherwin-Williams® color options to complement your home. Clopay's durable two-part paint system has been thoroughly tested and is backed by a five-year warranty.

^{*} Not available on Models GD4L and GD4LV. Due to the printing process, colors may vary.

SHORT PANEL WINDOW DESIGNS AND TOP SECTION OPTIONS

HEIGHTS 7'0"-8'0"

MODELS

Illustrations simplified for clarity

10'6"-12'0'

9'0"-10'0"

GD5S, GD5SV, GD4S AND GD4SV WIDTHS 5'0"-6'0" 6'2"-7'6 11'6"-14'6' 14'10"-19'0' 19'2"-20'0' 7'8"-10'0" Models GD5S and GD5SV available only in widths up to 18'. Long Top Section ARCH1 Plain Short Vertical Grille 4411 | 1111 | 4411 | 1111 on ARCH1 Grille on ARCH1 Plain Long 44 Db 44 Db REC12 ARCH2 REC14 Vertical Grille ---an an an an an an on ARCH2 SQ22 Grille on ARCH2 ========== SQ24 ARCH3 ==== ==== ==== Trenton® Short† Vertical Grille HO HE OUR DOC DOC DOC HES DES on ARCH3 Trenton® Long† Grille on ARCH3 000000 000000 Clayton™ Short† Kristin® Short† *** * * *** 00 00 00 00 Kristin® Long† Clayton™ Long[†] 000000 Wrought Iron Short*† Wrought Iron Arch*† 36 36 38 38 94 94 94 94 94 94 94 ഞ്ഞ് ഞ്ഞ किंक किंक किंक किंक Wrought Iron Long*1 PER PER PER PER PER PER

^{*}Acrvlic

[†]Complements Clopay Entry Door glass.

LONG PANEL WINDOW DESIGNS AND TOP SECTION OPTIONS

Illustrations simplified for clarity

10'6"-12'0'

9'0"-10'0

HEIGHTS 7'0"-8'0" **MODELS GD4L AND GD4LV** WIDTHS 7'8"-10'0' 11'6"-14'6" 14'10"-19'0' 19'2"-20'0' 7'8"-10'0" Short Top Section ARCH1 II III (1) 111 Plain Short Vertical Grille 441 IIII 441 IIII on ARCH1 The state of the s ii iii 111 Grille on ARCH1 Plain Long 441 No. 441 No. tt . REC12 ARCH2 REC14 Vertical Grille ---- ---- ---- ---an an an an an an on ARCH2 Grille on ARCH2 SQ22 SQ24 ARCH3 Trenton® Short† Vertical Grille HAR CING DOC HOD HER BEE DOC HOD on ARCH3 "" Trenton® Long† Grille on ARCH3 000000 000000 000000 000000 000000 000000 ft f (1111) (triangle) Kristin® Short† Clayton™ Short† *** * *** 000 000 000 000 ((Kristin® Long† Clayton™ Long[†] 00000 00000 0000000 Wrought Iron Short*1 Wrought Iron Arch*† 88 88 88 86 88 88 88 88 88 88 88 ഞ്ഞ് ഞ്ഞ कांद्र कांद्र कांद्र कांद्र Wrought Iron Long*1 REEN REEN

^{*}Acrylic

 $^{^{\}dagger}$ Complements Clopay Entry Door glass.

Windows









Grille on ARCH1



dille dille Vertical Grille on ARCH2

Grille on ARCH2



SQ22





Kristin® Short'





Clayton™ Short*





Trenton® Long'



Clayton™ Long*





Wrought Iron Short



Wrought Iron Long*



Wrought Iron Arch'

Acrylic windows require special cleaning. Never use products that contain ammonia or petroleum products to clean acrylic. Please visit clopaydoor.com/acrylic for complete details.

*Complements Clopay Entry Door glass.

Long and short windows may be used in any Gallery 1 and 2-layer model. Double strength glass is standard. Optional 1/8" obscure glass is available on all Gallery 1 and 2-layer models.

Additional charges for optional glass apply

Windows are available single pane in clear, frosted, seeded, obscure and rain designs. Clear acrylic also available.












Decorative Hardware

STANDARD




Note: Decorative hardware options vary is not provided if a lock is chosen. See your Clopay Dealer for details.

OPTIONAL



Spade Strap Hinge* (Complements Spade Lift Handles and Spade Step Plate)



†Aluminum construction.

*Door may not open properly if installed near the top depending on opening dimensions and lift type. See your Clopay Dealer for more details.

based on door widths. Standard hardware LIMITED

Escutcheon Plates

15 YR

LIMITED **10 YR**

25 GAUGE DOORS (GD5S and GD5SV)

Warranties

LIMITED **3YR**

24 GAUGE DOORS (GD4S, GD4L, GD4SV and GD4LV)





the environment.

shipping, damage and handling.

clopaydoor.com/green



A FOCUS ON ALCO

The Gallery® Collection one and two-layer construction helps

conserve natural resources by providing a durable, reliable, low-maintenance, energy efficient door, Long-lasting steel doors and hardware are impervious to moisture and will not rot, warp or crack, and the steel used in Clopay's doors is made from over 75% recycled content. All Clopay doors are made in the U.S., minimizing

Clopay is committed to designing, manufacturing and

and value of your home while minimizing the impact on

distributing garage doors that enhance the beauty, safety

Additional Features



Large authentic arch window designs.



Decorative panel edging and natural embossed woodgrain texture.

Clopay

For more detailed product specification information or availability of our Gallery® Collection Garage Doors, please contact your Clopay Dealer. To locate a dealer to help you select the right door for your home, just go to www.clopaydoor.com/dealer or call 1-800-2CLOPAY (225-6729).

Follow us on **f D Y P E In In**













For more details on Clopay's green practices visit

